

<a href="#">NEMSIS Data Dictionary 3.4.0 (Current)</a>		<a href="#">NEMSIS Data Dictionary 3.5.0 (Future update)</a>
<b>CEMSIS LISTS: Linked to EMSA open under CEMSIS and NEMSIS Resources</b>	Associated Element/s	Notes
<a href="#">CA Facility list</a>	eDisposition.01&.02 /.03/.04/.05/.06/.07/.08/.09/.10 or eScene.13/15/17/18/19/21/22	<a href="#">NEMSIS CA Facility List</a> Document element field when option is present
<a href="#">Cause of Injury List</a>	eInjury.01	Not required, but if documented must match the list (Linked)
<a href="#">Symptom List</a>	eSituation.09 & .10	Not required, but if documented must match the list (Linked)
<a href="#">Primary and Secondary Impression List</a>	eSituation.11 & eSituation.12	Primary Impression is Required (Linked)
<a href="#">Location Type</a>	eScene.09	Not required, but if documented must match the list (Linked)
Name	Associated Element/s	Notes
<a href="#">Medications</a>	eMedications.03	
<a href="#">Procedures</a>	eProcedures.03	
<a href="#">Crew Response Role</a>	eCrew.03	
<b>Incident/Patient Disposition</b>	<b>eDisposition.12</b>	<b>Discontinued as of January 2024</b>
<a href="#">Unit Disposition</a>	eDisposition.27	<b>NEW WITH NEMSIS 3.5.0 UPDATE</b>
<a href="#">Patient Evaluation/Care</a>	eDisposition.28	<b>NEW WITH NEMSIS 3.5.0 UPDATE</b>
<a href="#">Crew Disposition</a>	eDisposition.29	<b>NEW WITH NEMSIS 3.5.0 UPDATE</b>
<a href="#">Transport Disposition</a>	eDisposition.30	<b>NEW WITH NEMSIS 3.5.0 UPDATE</b>
<a href="#">Reason for Refusal/Release</a>	eDisposition.31	<b>NEW WITH NEMSIS 3.5.0 UPDATE</b>
<a href="#">Level of Care Provided</a>	eDisposition.32	<b>NEW WITH NEMSIS 3.5.0 UPDATE</b>
<a href="#">Type Of Service Requested</a>	eResponse.05	<b>UPDATED VALUES WITH NEMSIS 3.5</b>
<a href="#">Reason for Choosing Destination</a>	eDisposition.20	
<a href="#">Type of Destination</a>	eDisposition.21	
<a href="#">Additional Response Mode Descriptors</a>	eResponse.24	
<a href="#">Transport Mode Descriptors</a>	eDisposition.18	
<a href="#">Trauma- Physiologic &amp; Anatomic</a>	eInjury.03	Document when a trauma primary impression (Traumatic Arrest / Traumatic Injury / Burn) is used
<a href="#">Trauma- Mechanism &amp; Special Considerations</a>	eInjury.04	Document when a trauma primary impression (Traumatic Arrest / Traumatic Injury / Burn) is used
<a href="#">Hospital Capability</a>	eDisposition.23	<b>UPDATED VALUES WITH NEMSIS 3.5</b>
<a href="#">Primary Role of This Unit</a>	eResponse.07	<b>UPDATED VALUES WITH NEMSIS 3.5</b>
<a href="#">Stroke Scale</a>	eVitals.29	Document when stroke is suspected or when ruling out stroke
<a href="#">Neurological Assessment</a>	eExam.20	Required when Primary Impression is Stroke
<a href="#">Hospital In-Patient Destination</a>	eDisposition.22	Not a mandatory element, if documented only use when patients destination is NOT the ED
<a href="#">Airway Device Confirmed</a>	eAirway.03	Document when an airway device is utilized
<a href="#">Receiving Hosp name Medical Record</a>	eOutcome.03	
<a href="#">Med. Record Number</a>	eOutcome.04	
<a href="#">Patient Age</a>	ePatient.15	

Tracking Changes		
Date	Update	Notes
September-21	Created	
December-21	Added Neurological Assessment TAB	Updated in the webpage brought to TAG meeting 12.9.2021
December-21	Provision of Food Added to Procedures	Updated in the webpage brought to TAG meeting 12.9.2021
December-21	Giving Oral Fluids Added to Procedures	Updated in the webpage brought to TAG meeting 12.9.2021
December-21	Removed Medication Option for Snack	Per TAG discussion option removed effective Jan 1, 2022
March-22	Added Procedure.03 for Hospital Waiting Room	Updated in webpage 3.7.2022, brought to TAG meeting 3.10.22. Use will become effective April 1, 2022. PD# 5050
March-22	Epatient.15 & .16 Added	Updated in webpage 3.7.2022, brought to TAG meeting 3.10.22
May-23	eInjury.03 and eInjury.04	Options until update of NEMESIS 3.5
August-23	eDisposition.27 & .28	Added NEMESIS 3.5 options to book
November-23	Acetaminophen	Effective November 2023 - RxNorm Code - 161
November-23	Atrovent (Ipratropium Bromide)	Effective November 2023 - RxNorm Code - 151390
September-23	Updated CEMIS	Released in TAG Sept 2023
December-23	Buprenorphine	Buprenex / Belbuca / Probuphine
January-24	eDisposition.12	Will Be Discontinued

## Medications: eMedications.03

INDEX

### eMedications.03 - Medications Given

*Definition: The medication given to the patient*

Code RxNorm	EMS Term	RxNorm Description
161	Acetaminophen	Tylenol
296	Adenosine (e.g., Adenocard)	Adenosine
435	Albuterol (e.g., Proventil, Ventolin, AccuNeb)	Albuterol
703	Amiodarone (e.g., Cordarone)	Amiodarone
1191	Aspirin	Aspirin
1223	Atropine	Atropine
1659108	Atropine / Pralidoxime Auto-Injector (e.g., Duodote)	Atropine / Pralidoxime Auto-Injector
151390	Atrovent (Ipratropium Bromide)	Atrovent
1819	Buprenorphine	Buprenex / Belbuca / Probuphine
1795480	D10 (Dextrose 10% per 250 ML)	250 ML Glucose 100 MG/ML Injection
260258	D25 (Dextrose 25%)	Glucose 250 MG/ML Injectable Solution
237653	D50 (Dextrose 50% solution)	Glucose 500 MG/ML Injectable Solution
3322	Diazepam (e.g., Valium)	Diazepam
3498	Diphenhydramine (e.g., Bendadryl)	Diphenhydramine
3628	Dopamine	Dopamine
328316	Epi 1:1,000 (Epinephrine 1 mg/ml)	Epinephrine 1 MG/ML
317361	Epi 1:10,000 (Epinephrine 0.1 mg/ml)	Epinephrine 0.1 MG/ML
330545	Epinephrine 0.01 mg/ml (Epi 1:100,000) [Push Dose Epi]	Epinephrine 0.01 mg/ml
727345	Epinephrine Auto-Injector, Adult (0.3 ml of Epi 1.0 mg/ml)	0.3 ML Epinephrine 1 MG/ML Auto-Injector
727316	Epinephrine Auto-Injector, Junior (0.3 ml of Epi 0.5 mg/ml)	0.3 ML Epinephrine 0.5 MG/ML Auto-Injector
314610	Epinephrine, Racemic HCl	Epinephrine, Racemic Hydrochloride
4337	Fentanyl	Fentanyl
4832	Glucagon	Glucagon
377980	Glucose Oral Gel (e.g., Glucose, Insta-Glucose)	Glucose Oral Gel
5531	Hetastarch (e.g., Hespan, Hextend)	Hetastarch
6130	Ketamine	Ketamine
1008377	Lactated Ringers (e.g., LR, RL)	Calcium Chloride / Lactate / Potassium Chloride / Sodium Chloride
6387	Lidocaine	Lidocaine
324028	Lubricating Jelly	Lubricating Jelly
6960	Midazolam	Midazolam
7052	Morphine	Morphine
7242	Naloxone (e.g., Narcan)	Naloxone
1295573	Nitro Paste RxNorm	Nitroglycerin Transdermal Product
4917	Nitroglycerin	Nitroglycerin
313002	Normal Saline 0.9% Infusion Solution (Sodium Chloride 0.9%)	Sodium Chloride 0.154 MEQ/ML Injectable Solution
373902	Normal Saline, irrigation	Sodium Chloride Irrigation Solution
26225	Ondansetron (e.g., Zofran)	Ondansetron
363077	Ketorolac Injectable Solution (Toradol)	Toradol
7806	Oxygen	Oxygen
8591	Potassium Chloride ≤ 40mEq/L (monitor and adjust IV solutions containing KCl)	Potassium Chloride
34345	Pralidoxime (e.g., Protopam) (2-PAM HCl)	pralidoxime
36676	Sodium Bicarbonate	Sodium Bicarbonate
107129	Sterile Water	sterile water
10691	Tranexamic Acid (TXA)	Tranexamic Acid

#### Tracking Changes

Date	Update	Additional Notes
Apr-21	Option to use Oral Glucose as documentation of Snack added	Temporary use until SnoMed code becomes available NEMESIS 3.5
Dec-21	Oral Glucose for Snack removed after TAG discussion	not to be used after Jan 2022
Nov-23	Acetaminophen	Use effective November 2023
Nov-23	Atrovent (Ipratropium Bromide)	Use effective November 2023
Dec-23	Burprenorphine	Use effective January 2024

**Medications: eMedications.03**

--	--	--

Procedure: eProcedures.03

INDEX

**eProcedures.03 - Procedure (Required)**  
*Definition: Procedures Performed on the patient*

First Tier Hierarchy	Second Tier Hierarchy	Underlying SNOMED CT Code	SNOMED CT Description
<b>Airway-Basic</b>			
	Airway Device Removal	232708009	Removal of device from airway (procedure)
	Airway Opened	232664002	Manual establishment of airway (procedure)
	Assisted Ventilations (via Mask)	425447009	Bag valve mask ventilation (procedure)
	Assisted Ventilations (via Tube)	243140006	Lung inflation by intermittent compression of reservoir bag (procedure)
	Bi-Pap	243142003	Dual pressure spontaneous ventilation support (regime/therapy)
	CPAP	47545007	Continuous positive airway pressure ventilation treatment (regime/therapy)
	ETCO2 Colorimetric Detection	428482009	Colorimetric respired carbon dioxide monitoring (regime/therapy)
	Foreign Body Removal	232707004	Removal of foreign body from airway (procedure)
	Heimlich Maneuver	23690002	Heimlich maneuver (procedure)
	Mouth-to-Mask/Mouth Ventilation	243180002	Expired air ventilation (procedure)
	Nasal Airway Insertion	182692007	Nasopharyngeal airway insertion (procedure)
	Oral Airway Insertion	7443007	Insertion of oropharyngeal airway (procedure)
	Suction Airway	230040009	Airway suction technique (procedure)
<b>Airway-Advanced</b>			
	Cricothyrotomy, Needle	232689008	Percutaneous cricothyroidotomy (procedure)
	Direct Laryngoscopy	78121007	Direct Laryngoscopy
	*Endotracheal Intubation-Video Laryngoscopy	78121007	Video Laryngoscopy - Use Direct Laryngoscopy
	ETCO2 Digital Capnography	425543005	Digital respired carbon dioxide monitoring (regime/therapy)
	Intubation, Existing Tracheostomy Stoma	232685002	Insertion of tracheostomy tube (procedure)
	Intubation, Oral	232674004	Orotracheal intubation
	Intubation, Oral using Bougie Device	450601000124103	Orotracheal intubation using Bougie Device (procedure)
	Intubation Reassessment	225718003	Intubation Reassessment
	Supraglottic Airway, Single Lumen (i.e. King)	450611000124100	Insertion of Single Lumen Supraglottic Airway Device (procedure)
	Transtracheal Jet Insufflation	448442005	Transtracheal jet ventilation (procedure)
<b>Assessment</b>			
	Advanced Spinal Assessment (i.e., spinal clearance)	445828009	Assessment using functional capacity evaluation (procedure)
	Glucose measurement, blood (33747003)	33747003	Glucose measurement, blood (33747003)
	Isolation Precautions	409582008	Isolation Precautions
	Orthostatic Vital Signs	425058005	Taking orthostatic vital signs (procedure)
	Patient Position Change	225286008	Patient Position Change
	Psychiatric Hold Status	170677006	Psychiatric Hold Status
	Physical Assessment	422618004	Continuous physical assessment (procedure)
	Pulse oximetry (252465000)	252465000	Pulse oximetry (252465000)
	Giving Oral Fluids	225285007	Giving Oral Fluids
	Provision of Food	710925007	Provision of Food
<b>Cardiac</b>			
	3 Lead ECG Obtained	428803005	3 lead electrocardiographic monitoring (procedure)
	12 Lead ECG Obtained	268400002	12 lead electrocardiogram (procedure)
	Cardioversion	250980009	Cardioversion (procedure)
	Chest Compressions (Mechanical Device)	429283006	Mechanically assisted chest compression (procedure)
	CPR, Manual	89666000	Cardiopulmonary resuscitation (procedure)
	Defibrillation, AED	450661000124102	Defibrillation using Automated External Cardiac Defibrillator (procedure)
	Defibrillation, Manual	426220008	External ventricular defibrillation (procedure)
	EKG Type - Patches/Paddles	428803005	EKG Type - Patches/Paddles
	Impedance Threshold Device	441893003	Active compression decompression cardiopulmonary resuscitation with use of inspiratory impedance threshold device (procedure)
	Left Ventricular Assist Device Care	386237008	Circulatory care: mechanical assist device (regime/therapy)
	Pacing, Cardiac	18590009	Cardiac pacing (procedure)
	*Phonocardiogram with electrocardiogram lead, interpretation and report	81295004	Transmission of ECGs
	Precordial Thump	225708008	Precordial thump (procedure)
	Vagal Maneuver	128968000	Vagal stimulation physiologic challenge (procedure)

Procedure: eProcedures.03

**eProcedures.03 - Procedure (Required)**  
*Definition: Procedures Performed on the patient*

First Tier Hierarchy	Second Tier Hierarchy	Underlying SNOMED CT Code	SNOMED CT Description
<b>Chest/Thoracic</b>			
	Needle Decompression	182705007	Tension pneumothorax relief (procedure)
<b>CNS</b>			
<b>General - Not otherwise classified</b>			
	Contact Medical Control	304562007	Informing doctor (procedure)
	Decontamination	409530006	Decontamination (procedure)
	Eye Irrigation	49999004	Irrigation of eye (procedure)
	Monitoring of Preexisting Devices and Interventions	182777000	Monitoring of patient (regime/therapy)
	Patient Cooling (Cold Pack or General)	431774007	Active external cooling of subject (procedure)
	Patient Warming (Warm Pack or General)	431949004	Active external warming of subject (procedure)
	Restraint Applied, Chemical	406164000	Chemical restraint (procedure)
	Restraint Applied, Physical	386423001	Physical restraint (procedure)
	Hospital Waiting Room	224887004	Environmental
	Education about take home naloxon for opiate overdose intervention	718021000	Use to indicate Narcan Left Behind OPTION : If using Image Trend use itSituation.024 Was a (leave behind) Naloxone Overdose Kit Left at this Scene?
<b>GI/GU</b>			
	Gastro Intestinal Tube Maintenance	384745002	Maintenance of gastrointestinal tract tube (procedure)
<b>Musculoskeletal</b>			
	Reduction of Dislocated Joint	58825001	Closed reduction of dislocation (procedure)
	Immobilization using Long Board	450591000124106	Immobilization using long board (procedure)
	Immobilization using Short Extrication Splint	707794004	Immobilization using extrication splint (procedure)
	Spinal Immobilization, Cervical	398041008	Cervical spine immobilization (procedure)
	Spinal Immobilization, Full	426498007	Stabilization of spine (procedure)
	Splinting, General	79321009	Application of splint (procedure)
	Splinting, Traction	302488007	Application of traction using a traction device (procedure)
<b>OB</b>			
	Childbirth	236973005	Delivery procedure (procedure)
<b>Soft Tissue</b>			
	Burn Care	133901003	Burn care (regime/therapy)
	General Wound Care	225358003	Wound care (regime/therapy)
	Hemostatic Agent	372045002	Application of chemical hemostatic agents (procedure)
	Occlusive Dressing	22206003	Application of dressing, occlusive plastic (procedure)
	Pressure Dressing	26906007	Application of dressing, pressure (procedure)
	Tourniquet	20655006	Application of tourniquet (procedure)
	Wound Irrigation	225116006	Irrigation of wound (procedure)
<b>Vascular Access</b>			
	IO Cannulation	430824005	Intraosseous cannulation (procedure)
	Vascular Access via Existing Port (i.e., Portacath)	233550000	Cannulation of subcutaneous reservoir (procedure)
	Vein, Blood Draw	396540005	Phlebotomy (procedure)
	Vein, Catheter Removal	424287005	Removal of peripheral intravenous catheter (procedure)
	Vein, External Jugular	405427009	Catheterization of external jugular vein (procedure)
	Vein, Extremity	392230005	Catheterization of vein (procedure)
	Vein, Femoral	405442007	Catheterization of common femoral vein (procedure)
	Vein, Scalp	233526002	Peripheral venous cannula insertion - scalp (procedure)
<b>Blood Administration</b>			
	Transfusion of blood product (procedure)	116859006	Transfusion of blood product (procedure)

Tracking Changes

Date	Update	Additional Notes	Column1
Apr-21	Use of Bi-PAP Added	243142003	
Dec-21	Provision of Food Added	710925007	Taken to TAG meeting 12.9.2021
Dec-21	Giving Oral Fluids	225285007	Taken to TAG meeting 12.9.2021
Mar-23	Hospital Waiting Room	224887004	Taken to TAG meeting 3.10.2022
Dec-23	Narcan Left Behind	718021000	Taken to TAG meeting 12.14.23

## Crew Member Response Role: eCrew.03

[INDEX](#)

### **eCrew.03: Crew Member Response Role (Recommended)**

*Definition: The role(s) of the crew member during response, at scene treatment, and/or transport.*

<b>Code</b>	<b>Description / Data field selection choices</b>	<b>When/ Who use/s</b>
2403001	Driver/Pilot-Response	Use as appropriate
2403003	Driver/Pilot-Transport	Use as appropriate
2403005	Other	Use as appropriate
2403007	Other Patient Caregiver-At Scene	Use as appropriate
2403009	Other Patient Caregiver-Transport	Use as appropriate
2403011	Primary Patient Caregiver-At Scene	Use as appropriate
2403013	Primary Patient Caregiver-Transport	Use as appropriate

## Unit Disposition: eDisposition.27

[INDEX](#)

### eDisposition.27 - Unit Disposition (Mandatory)

*Definition: The patient disposition for an EMS event identifying whether patient contact was made.*

Code	Description / Data field selection choices	When/ Who use/s
4227001	Patient Contact Made	
4227003	Cancelled on Scene	
4227005	Cancelled Prior to Arrival at Scene	
4227007	No Patient Contact	Do Not use
4227009	No Patient Found	
4227011	Non-Patient Incident (Not Otherwise Listed)	

## Crew Disposition: eDisposition.29

[INDEX](#)

### eDisposition.29 - Crew Disposition (Required)

*Definition: The crew disposition for this EMS event identifying which crew provided primary patient care or whether support services were required.*

Code	Description / Data field selection choices	When/ Who use/s
4229001	Initiated and Continued Primary Care	First Unit on Scene providing care and transport
4229003	Initiated Primary Care and Transferred to Another EMS Crew	Non - Transporting Unit providing care
4229005	Provided Care Supporting Primary EMS Crew	Secondary unit non Transporting
4229007	Assumed Primary Care from Another EMS Crew	Transporting Unit who assumed care from first on scene unit
4229009	Incident Support Services Provided (Including Standby)	
4229011	Back in Service, No Care/Support Services Required	
4229013	Back in Service, Care/Support Services Refused	

## Patient Evaluation / Care: eDisposition.28

[INDEX](#)

### **eDisposition.28 - Patient Evaluation / Care (Required)**

*Definition: The patient disposition for an EMS event identifying whether a patient was evaluated and care or services were provided.*

Code	Description / Data field selection choices	When/ Who use/s
4228001	Patient Evaluated and Care Provided	
4228003	Patient Evaluated and Refused Care	
4228005	Patient Evaluated, No Care Required	
4228007	Patient Refused Evaluation/Care	
4228009	Patient Support Services Provided	

## Transport Destination: eDisposition.30

[INDEX](#)

### **eDisposition.30- Transport Disposition (Required)**

*Definition: The transport disposition for an EMS event identifying whether a transport occurred and by which unit.*

<b>Code</b>	<b>Description / Data field selection choices</b>	<b>When/ Who use/s</b>
4230001	Transport by This EMS Unit (This Crew Only)	Transporting Unit
4230003	Transport by This EMS Unit, with a Member of Another Crew	Transporting Unit
4230005	Transport by Another EMS Unit	NON Transporting Unit
4230007	Transport by Another EMS Unit, with a Member of This Crew	NON Transporting Unit
4230009	Patient Refused Transport	
4230011	Non-Patient Transport (Not Otherwise Listed)	
4230013	No Transport	

## Reason for Refusal / Release: eDisposition.31

[INDEX](#)

### **eDisposition.31 - Reason for Refusal/Release (Optional)**

*Definition: The transport disposition for an EMS event identifying whether a transport occurred and by which unit.*

Code	Description / Data field selection choices	When/ Who use/s
4231001	Against Medical Advice	
4231003	Patient/Guardian Indicates Ambulance Transport is Not Necessary	Do Not USE
4231005	Released Following Protocol Guidelines	
4231007	Released to Law Enforcement	
4231009	Patient/Guardian States Intent to Transport by Other Means	
4231011	DNR	Do Not USE
4231013	Medical/Physician Orders for Life Sustaining Treatment	Do Not USE
4231015	Other, Not Listed	

## Level of Care Provided: eDisposition.32

[INDEX](#)

### **eDisposition.32 - Level of Care Provided (Required)**

*Definition: The general level of care provided to this patient as defined per provider level in local EMS protocols or clinical guidelines.*

Code	Description / Data field selection choices	When/ Who use/s
4232001	BLS - All Levels	
4232003	ALS - AEMT/Intermediate	
4232005	ALS - Paramedic	
4232007	EMS and Other Health-Care Staff	
4232009	Critical Care	
4232011	Integrated Health Care	
4232013	No Care Provided	

## Type of Service Requested: eResponse.05

[INDEX](#)

### eResponse.05 - Type of Service Requested (Mandatory)

*Definition: The type of service or category of service requested of the EMS Agency responding for this specific EMS event .*

Code	Description / Data field selection choices	When/ Who to use
2205001	Emergency Response (Primary Response Area)	Scene Call - Patient request with intended transport to Hospital ED
2205003	Emergency Response (Intercept)	Do Not Use
2205005	Hospital-to-Hospital Transfer	Transports between hospitals higher level of care/ repatriation and sensus (IFT)
2205007	Other Routine Medical Transport	Appointments
2205009	Emergency Response (Mutual Aid)	Non transporting unit assistance of person, no medical merit
2205011	Public Assistance	Multi agencies scenarios - identifies non transporting units
2205013	Standby	

### eResponse.05 - Type of Service Requested (NEMSIS 3.5 VERSION)

*Definition: The type of service or category of service requested of the EMS Agency responding for this specific EMS event.*

Code	Description / Data field selection choices	When/ Who to use
2205001	Emergency Response (Primary Response Area)	
2205035	Administrative Operations	
2205025	Crew Transport Only	
2205003	Emergency Response (Intercept)	
2205009	Emergency Response (Mutual Aid)	
2205033	Evaluation for Special Referral/Intake Programs	
2205015	Hospital to Non-Hospital Facility Transfer	
2205005	Hospital-to-Hospital Transfer	
2205031	Mobile Integrated Health Care Encounter	
2205029	Mortuary Services	
2205019	Non-Hospital Facility to Hospital Transfer	
2205017	Non-Hospital Facility to Non-Hospital Facility Transfer	
2205023	Non-Patient Care Rescue/Extrication	
2205007	Other Routine Medical Transport	
2205011	Public Assistance	
2205013	Standby	
2205021	Support Services	
2205027	Transport of Organs or Body Parts	

## Reason for Choosing Destination: eDisposition.20

[INDEX](#)

### eDisposition.20 - Reason for Choosing Destination (Required)

*Definitions: The reason the unit chose to deliver or transfer the patient to the destination.*

Code	Description / Data field selection choices	When/ Who to use
4220001	Closest Facility	When patient conditions warrants diversion from originally chosen destination - <b>Overrides Rank when applicable</b>
4220003	Diversion	Use when intended or requested hospital is unavailable due to diversion or advisory status ONLY - <b>Overrides Rank when applicable</b>
4220005	Family Choice	No medical condition that the prehospital personnel believes is unstable and no Special Triage Policy applies, then the patient shall be taken to the facility chosen <b>Rank #2b</b>
4220007	Insurance Status/Requirement	If there exists no medical condition that the prehospital personnel believes is unstable and no Special Triage Policy applies, then the patient shall be taken to the facility chosen <b>Rank #1</b>
4220009	Law Enforcement Choice	No medical condition that the prehospital personnel believes is unstable and no Special Triage Policy applies, then the patient shall be taken to the facility chosen <b>Rank #4</b>
4220011	On-Line/On-Scene Medical Direction	Direct medical oversight, when utilized, shall be the overriding decisive factor in determining destination - <b>Overrides Rank when applicable</b>
4220013	Other	other not defined - <i>Use WHEN The facility that most closely meets EMS System resource availability, as determined by SCEMSA in coordination with the EMS provider management.</i> <b>Rank #5</b>
4220015	Patient's Choice	No medical condition that the prehospital personnel believes is unstable and no Special Triage Policy applies, then the patient shall be taken to the facility chosen <b>Rank #2a</b>
4220017	Patient's Physician's Choice	No medical condition that the prehospital personnel believes is unstable and no Special Triage Policy applies, then the patient shall be taken to the facility chosen <b>Rank #3</b>
4220019	Protocol	Patients likely to require specialized services as identified in treatment protocol may be transported to the most appropriate receiving facility. - <b>Overrides Rank when applicable</b>
4220021	Regional Specialty Center	The patient meeting special triage criteria shall be transported to the designated Special Triage receiving facility approved by the LEMSA (Trauma / STEMI / Stroke) - <b>Overrides Rank when applicable</b>

## Type of Destination: eDisposition.21

[INDEX](#)

### eDisposition.21 - Type of Destination (Required)

*Definitions: The type of destination the patient was delivered or transferred to.*

Code	Description / Data field selection choices	When/ Who to use
4221001	Home	Transport to patients home destination
4221003	Hospital - Emergency Department	Transports to Emergency Department ( <b>Type of service request: eResponse.05: Emergency Response (Primary Response Area)/ Emergency Response (Intercept) or Emergency Response (Mutual Aid)</b> )
4221005	Hospital - Non-Emergency Department	
4221007	Medical Office/Clinic	
4221009	Morgue/Mortuary	
4221011	Nursing Home/Assisted Living Facility	
4221013	Other	
4221015	Other EMS Responder (air)	
4221017	Other EMS Responder (ground)	
4221019	Police/Jail	
4221021	Urgent Care	
4221023	Freestanding Emergency Department	
4221025	Dialysis Center	
4221027	Diagnostic Services	
4221029	Assisted Living Facility	
4221031	Mental Health Facility	
4221033	Nursing Home	
4221035	Other Recurring Care Center	
4221037	Physical Rehabilitation Facility	
4221039	Drug and/or Alcohol Rehabilitation Facility	
4221041	Skilled Nursing Facility	

## Additional Response Mode Descriptors: eResponse.24

[INDEX](#)

### eResponse.24 - Additional Response Mode Descriptors (Required)

*Definitions: The documentation of response mode techniques used for this EMS response.*

Code	Description / Data field selection choices	When/ Who to use
2224001	Intersection Navigation-Against Normal Light Patterns	Do not use
2224003	Intersection Navigation-With Automated Light Changing Technology	Do not use
2224005	Intersection Navigation-With Normal Light Patterns	Do not use
2224007	Scheduled	Use as Appropriate
2224009	Speed-Enhanced per Local Policy	Do not use
2224011	Speed-Normal Traffic	Do not use
2224013	Unscheduled	Use as Appropriate
2224015	Lights and Sirens	Use as Appropriate
2224017	Lights and No Sirens	Use as Appropriate
2224019	No Lights or Sirens	Use as Appropriate
2224021	Initial No Lights or Sirens, Upgraded to Lights and Sirens	Use as Appropriate
2224023	Initial Lights and Sirens, Downgraded to No Lights or Sirens	Use as Appropriate

## Transport Mode Descriptors: eDisposition.18

[INDEX](#)

### eDisposition.18 - Additional Transport Mode Descriptors (Required)

*Definition: The documentation of transport mode techniques for this EMS response.*

Code	Description / Data field selection choices	When /Who use/s
4218001	Intersection Navigation-Against Normal Light Patterns	Do Not Use
4218003	Intersection Navigation-With Automated Light Changing Technology	Do Not Use
4218005	Intersection Navigation-With Normal Light Patterns	Do Not Use
4218007	Speed-Enhanced per Local Policy	Do Not Use
4218009	Speed-Normal Traffic	
4218011	Lights and Sirens	
4218013	Lights and No Sirens	
4218015	No Lights or Sirens	
4218017	Initial No Lights or Sirens, Upgraded to Lights and Sirens	
4218019	Initial Lights and Sirens, Downgraded to No Lights or Sirens	

## Trauma Triage Criteria: eInjury.03

[INDEX](#)

<b>eInjury.03 - Trauma Triage Criteria</b>		
<i>Definition: Physiologic and Anatomic Field Trauma Triage Criteria (steps 1 and 2) as defined by the Centers for Disease Control.</i>		
Code	Description / Data field selection choices	When/ Who to use / Use for this until NEMSIS 3.5 update
2903001	Amputation proximal to wrist or ankle	
2903003	Crushed, degloved, mangled, or pulseless extremity	
2903005	Chest wall instability or deformity (e.g., flail chest)	
2903007	Glasgow Coma Score <= 13	<b>Unable to follow commands (motor GCS &lt; 6)</b>
2903009	Open or depressed skull fracture	
2903011	Paralysis	
2903013	Pelvic fractures	
2903015	All penetrating injuries to head, neck, torso, and extremities proximal to elbow or knee	
2903017	Respiratory Rate <10 or >29 breaths per minute (<20 in infants aged <1 year) or need for ventilatory support	<b>Respiratory rate 29 breaths per minute Respiratory distress or need for respiratory support</b>
2903019	Systolic Blood Pressure <90 mmHg	<b>Active bleeding requiring a tourniquet or wound packing with continuous pressure</b>
2903021	Two or more proximal long-bone fractures	

<b>eInjury.03 - Trauma Triage Criteria (NEMSIS 3.5 VERSION)</b>		
<i>Definition: Physiologic and Anatomic Field Trauma Triage Criteria (steps 1 and 2) as defined by the Centers for Disease Control.</i>		
Code	Description / Data field selection choices	When/ Who to use / Use for this until NEMSIS 3.5 update
903001	Amputation proximal to wrist or ankle	
2903003	Crushed, degloved, mangled, or pulseless extremity	
2903005	Chest wall instability, deformity, or suspected flail chest	
2903007	Glasgow Coma Score <= 13 (DEPRECATED)	
2903009	Skull deformity, suspected skull fracture	
2903011	Paralysis (DEPRECATED)	
2903013	Suspected pelvic fracture	
2903015	Penetrating injuries to head, neck, torso, and proximal extremities	
2903017	Respiratory Rate <10 or >29 breaths per minute (<20 in infants aged <1 year) or need for ventilatory support (DEPRECATED)	
2903019	Systolic Blood Pressure <90 mmHg (DEPRECATED)	
2903021	Suspected fracture of two or more proximal long bones	
2903023	Active bleeding requiring a tourniquet or wound packing with continuous pressure	
2903025	Age >= 10 years: HR > SBP	
2903027	Age >= 65 years: SBP < 110 mmHg	
2903029	Age 0-9 years: SBP < 70mm Hg + (2 x age in years)	
2903031	Age 10-64 years: SBP < 90 mmHg	
2903033	Respiratory distress or need for respiratory support	
2903035	Room-air pulse oximetry < 90%	
2903037	RR < 10 or > 29 breaths/min	
2903039	Suspected spinal injury with new motor or sensory loss	
2903041	Unable to follow commands (motor GCS < 6)	

## Vehicular, Pedestrian, or Other injury Risk Factor: eInjury.04

[INDEX](#)

eInjury.04 - Vehicular, Pedestrian, or Other Injury Risk Factor		
<i>Definitions: Mechanism and Special Considerations Field Trauma Triage Criteria (steps 3 and 4) as defined by the Centers for Disease Control.</i>		
Code	Description / Data field selection choices	When/ Who to use / Use for this until 3.5 update
2904001	Auto v. Pedestrian/Bicyclist Thrown, Run Over, or > 20 MPH Impact	
2904003	Fall Adults: > 20 ft. (one story is equal to 10 ft.)	Adults: > 10 feet (one story is equal to 10 feet) Older adults (age ≥ 65 years) with significant head impact
2904005	Fall Children: > 10 ft. or 2-3 times the height of the child	Children: > 10 feet Low level falls in young children (age ≤ 5 years)
2904007	Crash Death in Same Passenger Compartment	
2904009	Crash Ejection (partial or complete) from automobile	Ejection (partial or complete) from motorized vehicle or livestock
2904011	Crash Intrusion, including roof: > 12 in. occupant site; > 18 in. any site	Child (Age 0-9) unrestrained or in unsecured child safety seat
2904013	Crash Vehicle Telemetry Data (AACN) Consistent with High Risk of Injury	
2904015	Motorcycle Crash > 20 MPH	
2904017	SBP < 110 for age > 65	
2904019	Anticoagulants and Bleeding Disorders	
2904021	Pregnancy > 20 weeks	
2904023	EMS Provider Judgment	
2904025	Burn, without other trauma	
2904027	Burn, with trauma mechanism	

eInjury.04 - Vehicular, Pedestrian, or Other Injury Risk Factor (NEMSIS 3.5 Update)		
<i>Definitions: Mechanism and Special Considerations Field Trauma Triage Criteria (steps 3 and 4) as defined by the Centers for Disease Control.</i>		
Code	Description / Data field selection choices	When/ Who to use / Use for this until 3.5 update
2904001	Pedestrian/bicycle rider thrown, run over, or with significant impact	
2904003	Fall Adults: > 20 ft. (one story is equal to 10 ft.) (DEPRECATED)	
2904005	Fall Children: > 10 ft. or 2-3 times the height of the child (DEPRECATED)	
2904007	Auto Crash: Death in passenger compartment	
2904009	Auto Crash: Partial or complete ejection	
2904011	Auto Crash: Significant intrusion (including roof): >12 inches occupant site; >18 inches any site; need for extrication	
2904013	Auto Crash: Vehicle telemetry data consistent with severe injury	
2904015	Motorcycle Crash > 20 MPH (DEPRECATED)	
2904017	SBP < 110 for age > 65 (DEPRECATED)	
2904019	Anticoagulant use	
2904021	Pregnancy > 20 weeks	
2904023	Other EMS judgment	
2904025	Burn, without other trauma (DEPRECATED)	
2904027	Burns in conjunction with trauma	
2904029	Auto Crash: Child (age 0-9 years) unrestrained or in unsecured child safety seat	
2904031	Fall from height > 10 feet (all ages)	
2904033	Low-level falls in young children (age ≤ 5 years) or older adults (age ≥ 65 years) with significant head impact	
2904035	Rider separated from transport vehicle with significant impact (eg, motorcycle, ATV, horse, etc.)	
2904037	Special, high-resource healthcare needs	
2904039	Suspicion of child abuse	

## Hospital Capability: eDisposition.23

[INDEX](#)

### eDisposition.23 - Hospital Capability

*Definition: The primary hospital capability associated with the patient's condition for this transport (e.g. Trauma, STEMI, Peds, etc.).*

Code	Description / Data field selection choices	When/ Who to use
9908001	Behavioral Health	Use as applicable to identify hospital destination capability as it relates to patients medical needs.
9908003	Burn Center	
9908005	Critical Access Hospital	
9908007	Hospital (General)	
9908009	Neonatal Center	
9908011	Pediatric Center	
9908017	Stroke Center	
9908019	Rehab Center	
9908021	Trauma Center Level 1	
9908023	Trauma Center Level 2	
9908025	Trauma Center Level 3	
9908027	Trauma Center Level 4	
9908029	Trauma Center Level 5	
9908031	Cardiac-STEMI/PCI Capable	
9908033	Cardiac-STEMI/PCI Capable (24/7)	
9908035	Cardiac-STEMI/Non-PCI Capable	

## Primary Role of This Unit: eResponse.07

[INDEX](#)

### eResponse.07 - Primary Role of This Unit

*Definition: The primary role of the EMS unit which responded to this specific EMS event*

Code	Description / Data field selection choices	When/ Who to use
2207003	Ground Transport	<b>Use as Applicable</b>
2207005	Non-Transport Administrative (e.g., Supervisor)	
2207007	Non-Transport Assistance	
2207009	Non-Transport Rescue	
2207011	Air Transport-Helicopter	
2207013	Air Transport-Fixed Wing	

### eResponse.07 - Primary Role of This Unit (NEMSIS 3.5 VERSION)

*Definition: The primary role of the EMS unit which responded to this specific EMS event*

Code	Description / Data field selection choices	When/ Who to use
2207011	Air Transport-Helicopter	<b>Use as Applicable</b>
2207013	Air Transport-Fixed Wing	
2207015	Ground Transport (ALS Equipped)	
2207017	Ground Transport (BLS Equipped)	
2207019	Ground Transport (Critical Care Equipped)	
2207021	Non-Transport-Medical Treatment (ALS Equipped)	
2207023	Non-Transport-Medical Treatment (BLS Equipped)	
2207025	Wheel Chair Van/Ambulette	
2207027	Non-Transport-No Medical Equipment	

## Stroke Scale Score: eVitals.29

[INDEX](#)

### eVitals.29 - Stroke Scale Score

*Definitions: The findings or results of the Stroke Scale Type (eVitals.30) used to assess the patient exhibiting stroke-like symptoms.*

Code	Description / Data field selection choices	When/ Who to use
3329001	Negative	Use as appropriate
3329003	Non-Conclusive	Use as appropriate
3329005	Positive	Use as appropriate

**eExam.20 - Neurological Assessment***Definition: The assessment findings of the patient's neurological examination.*

Code	Description / Data field selection choices	When/ Who to use
3520001	Aphagia	<p><b>Use Facial Droop/ Slurred Speech and Arm Drift as Applicable (per CPSS)</b></p>
3520003	Aphasia	
3520005	Cerebellar Function Abnormal	
3520007	Cerebellar Function Normal	
3520009	Decerebrate Posturing	
3520011	Decorticate Posturing	
3520013	Gait Abnormal	
3520015	Gait Normal	
3520017	Hemiplegia Left	
3520019	Hemiplegia Right	
3520021	Normal Baseline for Patient	
3520023	Not Done	
3520025	Seizures	
3520027	Speech Normal	
3520029	<b>Speech Slurring</b>	
3520031	Strength Asymmetric	
3520033	Strength Normal	
3520035	Strength Symmetric	
3520037	Tremors	
3520039	<b>Weakness-Facial Droop-Left</b>	
3520041	<b>Weakness-Facial Droop-Right</b>	
3520043	Weakness Left Sided	
3520045	Weakness Right Sided	
3520051	<b>Arm Drift-Left</b>	
3520053	<b>Arm Drift-Right</b>	

## Hospital In-Patient Destination: eDisposition.22

[INDEX](#)

### eDisposition.22 - Hospital In-Patient Destination

*Definitions: The location within the hospital that the patient was taken directly by EMS (e.g., Cath Lab, ICU, etc.)*

Code	Description / Data field selection choices	When/ Who to use
222001	Hospital-Burn	Use as Applicable
4222003	Hospital-Cath Lab	
4222005	Hospital-CCU	
4222007	Hospital-Endoscopy	
4222009	Hospital-Hospice	
4222011	Hospital-Hyperbaric Oxygen Treatment	
4222013	Hospital-ICU	
4222015	Hospital-Labor and Delivery	
4222017	Hospital-Med/Surg	
4222019	Hospital-Mental Health	
4222021	Hospital-MICU	
4222023	Hospital-NICU	
4222025	Hospital-Nursery	
4222027	Hospital-Peds (General)	
4222029	Hospital-Peds ICU	
4222031	Hospital-OR	
4222033	Hospital-Orthopedic	
4222035	Hospital-Other	
4222037	Hospital-Out-Patient Bed	
4222039	Hospital-Radiology Services - MRI	
4222041	Hospital-Radiology Services - CT/PET	
4222043	Hospital-Radiology Services - X-Ray	
4222045	Hospital-Radiation	
4222047	Hospital-Rehab	
4222049	Hospital-SICU	
4222051	Hospital-Oncology	
4222053	Hospital-Outpatient Surgery	

## Airway Device Being Confirmed: eAirway.03

[INDEX](#)

### **eAirway.03: Airway Device Being Confirmed**

*Definitions: The airway device in which placement is being confirmed.*

<b>Code</b>	<b>Description / Data field selection choices</b>	<b>When/ Who to use</b>
4003001	Cricothyrotomy Tube	As Needed
4003003	Endotracheal Tube	As Needed
4003005	Other-Invasive Airway	Do not use
4003007	SAD-Combitube	Do not use
4003009	SAD-King	Do not use
4003011	SAD-LMA	Do not use
4003013	SAD-Other	Igels
4003015	Tracheostomy Tube	Do not use

## Hospital Name of Medical Record Number Documented: eOutcome.03

[INDEX](#)

### **eOutcome.03: External Report ID/Number Type (Name of Hospital for Medical Record)**

*Definitions: The Type of External Report or Record associated with the Report/ID Number.*

Code	Description / Data field selection choices	When/ Who to use
4303001	Disaster Tag	
4303003	Fire Incident Report	
4303005	Hospital-Receiving	
4303007	Hospital-Transferring	
4303009	Law Enforcement Report	
4303011	Other	
4303013	Other Registry	
4303015	Other Report	
4303017	Patient ID	
4303019	Prior EMS Patient Care Report	
4303021	STEMI Registry	
4303023	Stroke Registry	
4303025	Trauma Registry	

**External Report ID/Number (Medical Record Number): eOutcome.04**

[INDEX](#)

<p><b>eOutcome.04: External Report ID/Number (Medical Record Number)</b> <i>Definitions: The ID or Number of the external report or record in eOutcome.03</i></p>
<p><b>Document The receiving Hospital Medical Record Number</b></p>

**ePatient.15: Patient Age**

*ePatient.15- Definition: The patient's age (either calculated from date of birth or best approximation).*

Every Patient Contact

**ePatient.16: Age Units**

*ePatient.16- Definition: The unit used to define the patient's age.*

Code	Description / Data field selection choices	When/ Who to use
2516001	Days	Every Patient Contact
2516003	Hours	
2516005	Minutes	
2516007	Months	
2516009	Years	